

S/N: 10/768,723

Atty Dkt No. GP-303333 / GM0420PUS

Listing of Claims

1. (currently amended) Front structure for a vehicle having a hood and a dashboard comprising:

a unitary sheet formed to at least partially define a vehicle cowl and a vehicle bulkhead, and wherein the unitary sheet is further configured to at least partially define a front compartment of the vehicle with said cowl located between the hood and the dashboard.

2. (previously presented) Front structure for a vehicle comprising:

a unitary panel formed to at least partially define a cowl and a vehicle bulkhead, wherein the unitary panel is further configured to at least partially define a front compartment of the vehicle,

wherein said unitary panel further defines structure at least partially forming a vehicle dashboard and configured for attachment with respect to an instrument panel, and

wherein said unitary panel is formed using a method selected from the group consisting of quick plastic forming, superplastic forming and sheet hydroforming.

3. (previously presented) The front structure of claim 2, wherein said unitary panel further defines a hood configured to extend over and across the front compartment.

4. (original) The front structure of claim 3, wherein said unitary panel is bendable to further define a hood inner panel portion and a hood outer panel portion, said hood inner panel portion being juxtaposed with said hood outer panel portion and located inboard thereof.

S/N: 10/768,723

Att. Dkt No. GP-303333 / GM0420PUS

5. (original) The front structure of claim 3, wherein said unitary panel is bendable to further define two opposing fender portions extending generally downward from said hood.

6. (original) The front structure of claim 5, wherein each of said two opposing fender portions is bendable to define a fender outer panel portion and a fender inner panel portion, said fender inner panel portion being juxtaposed with said fender outer panel portion and being located inboard thereof.

7. (original) The front structure of claim 3, wherein said hood defines an access opening for the front compartment, and further comprising an access door operatively connectable to said hood for opening and closing the access opening.

8. (original) The front structure of claim 1, wherein said cowl is configured to extend across the front compartment, and wherein said bulkhead is configured to at least partially separate the front compartment from a passenger compartment of the vehicle.

9. (original) The front structure of claim 1, wherein said cowl comprises a structural cross beam, said cross beam being configured to extend across the front compartment.

10. (original) The front structure of claim 9, wherein said cowl forms an air intake plenum, and wherein said cross beam is formed between said plenum and said vehicle bulkhead.

11. (previously presented) The front structure of claim 1, wherein said unitary sheet further defines structure at least partially forming a vehicle dashboard and configured for attachment with respect to an instrument panel.

12. (previously presented) The front structure of claim 1, wherein the

S/N: 10/768,723

Atty Dkt No. GP-303333 / GM0420PUS

vehicle includes two front hinge pillars each having a forward edge, and wherein said unitary sheet is configured such that the forward edge of each of said two front hinge pillars substantially continuously abuts said unitary sheet when said unitary sheet is operatively connected to the vehicle.

13. (original) The front structure of claim 1, wherein said vehicle cowl forms an air intake plenum.

14. (cancelled)

15. (previously presented) The body panel of claim 16, wherein said unitary panel is formed using a method selected from the group consisting of quick plastic forming, superplastic forming and sheet hydroforming.

16. (previously presented) A body panel for a vehicle comprising:
a unitary panel formed to at least partially define a hood, wherein said hood is bendable to define a hood outer panel portion and a hood inner panel portion, said hood inner panel portion being juxtaposed with said hood outer panel portion and being located inboard thereof, and wherein said unitary panel at least partially defines a front compartment of the vehicle; and

wherein said unitary panel is bendable to further define two opposing fenders extending from said hood.

17. (previously presented) The body panel of claim 16, wherein each of the two opposing fenders is bendable to define a fender outer panel portion and a fender inner panel portion, said fender inner panel portion being juxtaposed with said fender outer panel portion and being located inboard thereof.

18. (original) Front structure for a vehicle comprising:

S/N: 10/768,723

Atty Dkt No. GP-303333 / GM0420PLUS

RECEIVED
CENTRAL FAX CENTER

MAY 03 2006

a unitary panel formed to at least partially define a vehicle cowl, a vehicle bulkhead, a hood and two opposing fender portions extending from said hood, wherein said unitary panel is formed using a method selected from the group consisting of quick plastic forming, superplastic forming and sheet hydroforming, and wherein the unitary panel at least partially defines a front compartment of the vehicle.

19. (currently amended) A method of manufacturing front structure for a vehicle having a hood and a dashboard, the method comprising:

forming a unitary panel using a method selected from the group consisting of quick plastic forming, superplastic forming and sheet hydroforming, wherein the unitary panel at least partially defines a vehicle cowl and a vehicle bulkhead wherein said cowl is configured for location between the hood and the dashboard.

20. (currently amended) The method of claim 19, wherein said unitary panel further defines ~~[[a]]~~ the vehicle hood, and the method further comprising:

bending said unitary panel to define said cowl, said bulkhead, and said hood.